

STANDARD CYLINDERS	
CL-6P1	6-pin, Schlage® format
CL-6P3WR	6-pin, Schlage format, weather-resistant, designed for padlocks
CL-C1N	Cam, 3/4" diameter, 3/8" tenon, multiple actions, straight latch
CL-C5N	Cam, 3/4" diameter, 9/32" tenon, 90° action, no latch
CL-C6N	Cam, 3/4" diameter, 1/4" tenon, 90° & 180° actions, multiple latches
CL-ES2	Electronic switch with relay, 2.5" diameter plate (Different plate sizes upon request)
CL-M2	Mortise, 1.125" (Finish choices: bright chrome, brushed chrome, bright brass, dark bronze)
CL-M4	Mortise, 1.25" (Finish choices: bright chrome, brushed chrome, bright brass, dark bronze)
CL-R1	Rim, U.S. standard (Finish choices: bright chrome, brushed chrome, bright brass, dark bronze)
CL-SF03	Small format interchangeable core, Best format, 7-pin
CL-SF03-A	Small format interchangeable core, Best format, 7-pin, built-in driver
CL-OVL	Scandinavian oval
CL-OVLWR	Scandinavian oval, weather-resistant with cover
CL-PD3030	Profile, double, 30mm outside/30mm inside
CL-PD3535	Profile, double, 35mm outside/35mm inside
CL-PD4545	Profile, double, 45mm outside/45mm inside
CL-PD6030	Profile, double, 60mm outside/30mm inside
CL-PH30	Profile, half, 30mm
CL-PH30T	Profile, half, 30mm true
CL-PH32.5C	Profile, half, 32.5mm, with cover
CL-PH35	Profile, half, 35mm
CL-PH37C	Profile, half, 37mm, with cover
CL-PH40	Profile, half, 40mm
CL-PH42C	Profile, half, 42mm, with cover
CL-PH45	Profile, half, 45mm
CL-PH55	Profile, half, 55mm
CL-PH65C	Profile, half, 65mm, with cover
CL-PH80	Profile, half, 80mm
CL-PH80C	Profile, half, 80mm, with cover
CL-PK3030	Profile, knob, 30mm outside/30mm inside
CL-PK32.530C	Profile, knob, 32.5mm outside/30mm inside, with cover
CL-PK3535	Profile, knob, 35mm outside/35mm inside
CL-PK3550	Profile, knob, 35mm outside/50mm inside
CL-PK3735C	Profile, knob, 37mm outside/35mm inside, with cover
CL-PK4030	Profile, knob, 40mm outside/30mm inside
CL-PK4030C	Profile, knob, 40mm outside/30mm inside, with cover
CL-PK5030	Profile, knob, 50mm outside/30mm inside
CL-PK5050	Profile, knob, 50mm outside/50mm inside
CL-PK6030	Profile, knob, 60mm outside/30mm inside
CL-PK7030	Profile, knob, 70mm outside/30mm inside
CL-PK8030	Profile, knob, 80mm outside/30mm inside
CLT-570	Australian 570 oval, tamper plug
VENDING CYLINDERS	
CLT-T6H	Dual-action, back install, tamper plug
CLT-T7H	Spring latch, front install, tamper plug
STANDARD PADLOCKS CyberLock cylinder installed	
PL-01	Brass, 1" x 3/8" diameter stainless steel shackle
PL-01KR	Brass, 1" x 3/8" diameter stainless steel shackle, key retaining
PL-02	Brass, 2" x 3/8" diameter stainless steel shackle
PL-02KR	Brass, 2" x 3/8" diameter stainless steel shackle, key retaining
PL-03	Brass, 3" x 3/8" diameter stainless steel shackle
PL-03KR	Brass, 3" x 3/8" diameter stainless steel shackle, key retaining
CUSTOM PADLOCKS Minimum order quantity and set-up fee may be required	
PL-01-A	Brass, 1" x 5/16" diameter stainless steel shackle
PL-01KR-A	Brass, 1" x 5/16" diameter stainless steel shackle, key retaining
PL-02-A	Brass, 2" x 5/16" diameter stainless steel shackle
PL-02KR-A	Brass, 2" x 5/16" diameter stainless steel shackle, key retaining
PL-03-A	Brass, 3" x 5/16" diameter stainless steel shackle
PL-03KR-A	Brass, 3" x 5/16" diameter stainless steel shackle, key retaining
PL-BB45	Padlock, barbell format, 45mm shackle
PL-HP1	High-security padlock, hockey puck format, stainless steel body

CUSTOM CYLINDERS Minimum order quantity and set-up fee may be required. Please call for details.	
CL-6P2	6-pin, Yale® 1801 hardware format
CL-7P1	7-pin, Yale 1802A hardware format
CL-C2N	Cam, 3/4" diameter, 3/8" tenon, 95°-210° or 30°-180° action, straight latch
CL-C3N	Cam, 3/4" diameter, 3/8" tenon, 90° action, spring hook latch
CL-C5NC	Cam, 9/32" tenon with collar
CL-C6NF	Cam, 3/4" diameter, fully threaded body, 1/4" tenon, 90° & 180° actions, multiple latches
CL-C7N	Cam, 22mm diameter, 10mm tenon, no latch or nuts
CL-C8N	Cam, 3/4" diameter, 3/8" tenon, 90° action, latch spacer, no latch
CL-C9N	Cam, 19mm diameter, 7mm tenon, 90° action, no latch or nuts
CL-C10N	Cam, 3/4" diameter, 5/16" tenon, no latch
CL-C11ND	Cam, 22mm diameter, 11mm tenon, 90° action, no latch or nuts, drill resistant
CL-C12N	Cam, 22mm diameter, 1/4" tenon, 90° action, multiple latches
CL-C13N	Cam, 22mm diameter, 11mm tenon, 90° action, no latch
CL-C14N	Cam, RI 509/511 format
CL-C15N	Cam, RI 503 format
CL-C16N	Cam, RI 521 format
CL-C17N	Cam, 30mm diameter, 11mm tenon
CL-C18N	Cam, 3/4" diameter, 1-3/8" length, 1/4" tenon, square post, no latches
CL-CA	Cabinet lock, 22mm diameter, weather-resistant
CL-CA2D	Cabinet lock, 22mm diameter, drill resistant
CL-CB	Cam, 23mm diameter, 7mm tenon, no latch or nuts
CL-FK4141R	Fichet compatible, removable knob, 41mm outside/41mm inside
CL-FR050	French round, 50mm
CL-FR050B	French round, 50mm, bayonet style
CL-FR075	French round, 75mm
CL-FR100	French round, 100mm
CL-FR120	French round, 120mm
CL-IKC	Cam, Euro round, 1.175" diameter
CL-IPS01	32mm IPS cam
CL-IPS02	30mm IPS TE cam
CL-IPS03	40mm IPS TE cam
CL-KB1	Knob Block
CL-LF01	Large format interchangeable core, Schlage format
CL-M2C	Mortise, 1.125", with cover
CL-M4C	Mortise, 1.25", with cover
CL-M14	Mortise, 1-7/8"
CL-MIWA-BH	CyberLock, MIWA Format, BH Version
CL-MIWA-LA	CyberLock, MIWA Format, LA Version
CL-OK3535	Oval with knob, 35mm outside/35mm inside
CL-OVLD	Scandinavian oval, drill-resistant
CL-OVLI	Scandinavian oval, interior installation
CL-PDFR4045	Profile, double, free-rotating, 40mm/45mm interchangeable
CL-PEM3030	Profile, 30mm outside electronic/30mm inside mechanical
CL-PEM4040	Profile, 40mm outside electronic/40mm inside mechanical
CL-PHS32.5XD	Profile, high-security, half, 32.5mm, enhanced drill-resistance
CL-PHS36	Profile, high-security, half, 36mm
CL-PKS3635	Profile, high-security, knob, 36mm outside/35mm inside
CL-PKS6030	Profile, high-security, knob, 60mm outside/30mm inside
CL-PKS6030R	Profile, high-security, removable knob, 60mm outside/30mm inside
CL-PL2WRD	Cylinder for Abus padlock, drill- and weather-resistant
CL-PL3WRD	Cylinder for Squire padlock, drill- and weather-resistant
CL-PL6WR	Cylinder for removeable shackle padlock, weather-resistant
CL-PM1D	Parking meter, double D tenon, drill-resistant
CL-PM2D	Parking meter, round tenon, drill-resistant
CL-R2	Rim, 36.3mm diameter, 24.6mm long
CL-RK29	Ruko 29mm
CL-RK29C	Ruko 29mm, with cover
CL-RND29	Round 29mm
CL-RND29WR	Round 29mm, weather-resistant with cover
CL-RP1	Removable plug cylinder
CL-RP2	Removable plug cylinder, cabinet format
CL-RWR	Weather-resistant rim with cover, 28mm diameter, 34mm long
CL-S02	Switch lock, .75" cam-style, on/off
CL-SM2	Switch lock, .75" cam-style, momentary
CL-SH32	Swiss round half, 32mm
CL-SK3232	Swiss round knob, 32mm outside/32mm inside
CL-SK3232R	Swiss round, removable knob, 32mm outside/32mm inside
CL-TC1	Traffic cabinet lock
CL-TCG	Traffic cabinet lock, Gatsometer style
CL-TEL	Telephone cash box
CLT-530	Australian 530 format, tamper plug
CLT-570D	Australian 570 format, tamper- and drill-resistant
CLT-PL4WR	Cylinder for Lockwood padlock, weather-resistant, tamper plug
CLTX-PL5WRD	Cylinder for Anchor LAS padlock, enhanced drill-resistance

SAFE LOCKS	
Sold through approved Safe Partners	
SL-DB1	Safe lock, deadbolt latch
SL-SP1	Safe lock, spring latch
SL-SW1	Safe lock, swing latch
SL-KS1	Keypad activation switch, La Gard
SL-KS2	Keypad activation switch, S & G
CYBERKEYS	
CK-IR7	User key, infrared, replaceable battery, replaceable tip
CK-IR7-ROHS	User key, infrared, replaceable battery, replaceable tip, ROHS compliant
CK-IR7C	Control key for CL-LF01 and CL-SF03 only, replaceable battery
CK-RBT	User key, Bluetooth, infrared, rechargeable battery, replaceable tip
CK-RXD	User key, infrared, rechargeable battery, replaceable case
CK-RXD2	CyberKey® II, rechargeable battery, replaceable case, USB
RECHARGING STATIONS	
PP-01	Power Port, mini CyberKey charger
CKS-010	1-key charging station, 120v, 60Hz
CKS-F10	1-key charging station, 220v, 50Hz
CKS-016	6-key charging station, 120v, 60Hz
CKS-F16	6-key charging station, 220v, 50Hz
COMMUNICATORS	
CK-GM	Grand Master
CKB-IR1	IR Encoder
CKS-020	USB Station with USB cable (Also recharges rechargeable batteries)
CKS-030	Web Station, 120v, 60Hz (Also recharges rechargeable batteries)
CKS-F30	Web Station, 220v, 50Hz (Also recharges rechargeable batteries)
CLP-100	USB Programmer with software
AH-W1	CyberKey Authorizer® hub, web, 120v, 60Hz
AH-W2	CyberKey Authorizer hub, web, 220v, 50Hz
AK-01	CyberKey Authorizer keyport, indoor/outdoor installation, 1 x 8 display, keypad
MK-01	CyberKey Authorizer Mini keyport, indoor/outdoor installation
CYBERKEY® VAULTS	
CKV-001	CyberKey Vault, 1-key capacity, 120v, 60Hz
CKV-F01	CyberKey Vault, 1-key capacity, 220v, 50Hz
CKV-020S	CyberKey Vault, 20-key capacity, internal server, 120-220v, 50-60Hz, for CK-RXD/RXD2 keys only
CKV-C1	Cable for European CKV-020S
CKV-C2	Cable for Australian CKV-020S
RFB-001	RFID card reader, USB connection
RFC-010	RFID card, 13.56 MHz, pack of 10
CYBERAUDIT SOFTWARE	
PROFESSIONAL	
CAP-100	CyberAudit® Professional
CAP-100-D5	CyberAudit Professional, digital download
SP-100	CyberAudit Server, Professional software
SP-100-S	CyberAudit Professional installed on SP-100
CAP-M01	Door & I/O software module, Professional
ENTERPRISE	
ENTERPRISE	CyberAudit Enterprise
CAW-M01	Location graphics software module, Enterprise
CAW-M02	Door & I/O software module, Enterprise
CAW-M03	Key security pack software module, Enterprise
CAW-M04	Lock list filtering software module, Enterprise
CAW-M05	LDAP login/password verification software module, Enterprise
CYBERLOCK FLEX SYSTEM®	
FLEX SYSTEM HUB	
FS-SH01	Flex System Hub, 8 input/output ports
INPUT MODULES	
FS-KD01	Keypad display module
FS-MP01	Flex keyport
FS-RH02	13Mhz RFID reader with beeper
OUTPUT MODULES	
FS-CV01	CyberKey weatherized vault module
FS-DC01	Door & I/O module

CYBERPOINTS	
CP-05	CyberPoint®, a non-locking version of CyberLock, used for data recording at checkpoints
ACCESSORIES/PARTS	
A-CC375	Collar for 3/4" diameter cams, .375" length (minimum order may apply)
A-IC01	Adapter kit, CL-SF03 to Yale IC format (minimum order may apply)
A-U120	USB Station transformer, 120v, 60Hz
A-U220	USB Station transformer, 220v, 50Hz
BOX-01	Single gang box, indoor/outdoor
BOX-02	4" x 4" x 4" junction box
BOX-03	6" x 6" x 4" junction box
BRUSH	Lock and key pin cleaning brush, stainless steel bristles
BRUSH-D	Lock and key pin cleaning brush, stainless steel bristles, Dremel
CK-CAP-010	Key tip cap, 10 pack
FS-PLATE-101	Mounting plate for RFID, knob, and display modules, BOX-01
FS-PLATE-201	Mounting plate for weatherized vault module, BOX-02
FS-PLATE-202	Mounting plate for keypad display module, BOX-02
FS-PLATE-301	Mounting plate for BOX-03
HDM1459	USB micro cover for CK-RXD2, black, 10 pack
HDP250	End cap for CK-RXD2
HDP237	End cap for CK-RCG/RXD, black
TIP-001	Replaceable tip for CK-IR7 and CK-RBT
TIP-008	Replaceable case for CK-RXD
TIP-009	Upgrade kit from CK-RCG to CK-RXD
TIP-010	Replaceable case for CK-RXD2
TWC-016	Standard USB to micro USB cable for CK-RXD2
SERVICE ITEMS FOR CUSTOMERS USING WINDOWS VERSION OF PROFESSIONAL, CAS-100	
CK-P7	CyberLock Programmer, infrared
CK-USB	USB Programmer, includes USB software.

Introducing the new CyberKey Air	
CK-AIR	Wi-Fi-enabled CyberKey, rechargeable battery

CyberLock, Inc.
1105 N.E. Circle Blvd., Corvallis, OR 97330
541-738-5500 • Fax 541-738-5501 • www.cyberlock.com • sales@cyberlock.com